

Insulin-like Growth Factor-1 (IGF-1) Antibody

Mouse Monoclonal Antibody [Clone IGF1/1020]


Catalog No	Format	Size
3479-MSM2-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
3479-MSM2-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
3479-MSM2-P1ABX	Purified Ab WITHOUT BSA and Azide at 1.0mg/ml	100 ug

Applications	Tested Dillution	Note
Flow Cytometry (Flow)	1-2ug/million cells	
Immunofluorescence (IF)	1-3ug/ml	


Product Details	
Clone	IGF1/1020
Gene Name	IGF1
Immunogen	Recombinant full-length human IGF-1 protein
Host	Mouse
Clonality	Monoclonal
Isotype / Light Chain	IgG1 / Kappa
Mol. Weight of Antigen	~7.6kDa
Cellular Localization	Secreted
Species Reactivity	Human, Mouse, Rabbit, Rat
Positive Control	K562 cells (FACS). HeLa cells (IF). IGF-1 recombinant protein (WB).

*Optimal dilution for a specific application should be determined.

Product Images for Insulin-like Growth Factor-1 (IGF-1) Antibody



SDS-PAGE Analysis of Purified IGF-1 Mouse Monoclonal Antibody (IGF1/1020). Confirmation of Purity and Integrity of Antibody.



Immunofluorescence Analysis of HeLa cells labeling IGF-1. IGF-1 Mouse Monoclonal Antibody (IGF/1020) conjugated to CF647R (green). DAPI (blue) nuclear counterstain.

Specificity & Comments

This antibody is specific to Insulin-like Growth Factor (IGF-1) and shows minimal cross-reaction with IGF-11, Proinsulin, MSF, and Insulin. IGF-1 is a polypeptide growth factor with two isoforms that are produced by alternative splicing. Isoform 1 is also known as IGF-1B while isoform 2 is known as IGF-1A. IGF-1 stimulates the proliferation of a wide range of cell types including muscle, bone and cartilage tissue. It functions as an autocrine regulator of growth. Activation of IGF system has emerged as a key factor for tumor progression and resistance to apoptosis in many cancers like those of breast, thyroid and colon.

Supplied As

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Research Areas

AKT Signaling, Breast Cancer, Cardiovascular, Mesenchymal Stem Cell Differentiation, Neural Stem Cells, Neuroinflammation, Signal Transduction, Stem Cell Differentiation

Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.
