

## Aurora B (Proliferation Marker) Antibody

Mouse Monoclonal Antibody [Clone AURKB/1592]

Catalog No	Format	Size
9212-MSM2-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
9212-MSM2-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
9212-MSM2-P1ABX	Purified Ab WITHOUT BSA and Azide at 1.0mg/ml	100 ug


Applications	Tested Dillution	Note
Immunohistochemistry (IHC)	1-2ug/ml	30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes

### Product Details


<b>Clone</b>	AURKB/1592
<b>Gene Name</b>	AURKB
<b>Immunogen</b>	Recombinant fragment (around aa 89-251) of human Aurora B protein (exact sequence is proprietary)
<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Isotype / Light Chain</b>	IgG1 / Kappa
<b>Mol. Weight of Antigen</b>	39kDa
<b>Cellular Localization</b>	Centromere, Chromosome, Cytoplasm, Cytoskeleton, Kinetochore, Midbody, Nucleus, Spindle
<b>Species Reactivity</b>	Human
<b>Positive Control</b>	HeLa cells. Tonsil, Hodgkin s Lymphoma or Colon Carcinoma., Placenta

\*Optimal dilution for a specific application should be determined.


### Product Images for Aurora B (Proliferation Marker) Antibody



Formalin-fixed, paraffin-embedded human Prostate Carcinoma stained with Aurora B Mouse Monoclonal Antibody (AURKB/1592).



SDS-PAGE Analysis of Purified Aurora B Mouse Monoclonal Antibody (AURKB/1592). Confirmation of Integrity and Purity of Antibody.



Formalin-fixed, paraffin-embedded human Colon stained with Aurora B Mouse Monoclonal Antibody (AURKB/1592).

### Specificity & Comments

Recognizes a protein of 39kDa, which is identified as Aurora B. The serine/threonine protein kinase aurora B (Aurora B) is a chromosomal passenger protein critical for accurate chromosome segregation, cytokinesis, protein localization to the centromere and kinetochore, correct microtubule-kinetochore attachment, and regulation of the mitotic checkpoint. Aurora B forms a tight complex with inner centromere protein and survivin. Inactivation of any of these proteins causes similar defects in chromosome segregation. A significant overexpression of Aurora B has been found in a variety of human tumors including non-small cell lung carcinoma, astrocytoma, seminoma and carcinomas of the colon, prostate, endometrium and thyroid. The expression level of Aurora B is associated with cell proliferation and prognosis in these tumors.

### Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.

### Supplied As

200ug/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

### Storage and Stability

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

### Research Areas

Signal Transduction, Transcription Factors