

Recombinant Heat Shock 27kDa Protein 1 Antibody

Mouse Monoclonal Antibody [Clone r2B4]

Catalog No	Format	Size
3315-MSM11-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
3315-MSM11-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
3315-MSM11-P1ABX	Purified Ab WITHOUT BSA and Azide at 1.0mg/ml	100 ug


Applications	Tested Dillution	Note
Immunohistochemistry (IHC)	1-2ug/ml	30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes
Western Blot (WB)	2-4ug/ml	

Product Details


Clone	r2B4
Gene Name	HSPB1
Immunogen	Prokaryotic recombinant protein corresponding to the full length human heat shock protein 27 molecule
Host	Mouse
Clonality	Monoclonal
Isotype / Light Chain	IgG2a / Kappa
Mol. Weight of Antigen	27kDa
Cellular Localization	Cytoplasm, Nucleus
Species Reactivity	Human
Positive Control	~50% of breast carcinomas are positive for hsp27 especially those that are ER and/or PgR positive. Skeletal muscle, Skin, A549.

*Optimal dilution for a specific application should be determined.


Product Images for Recombinant Heat Shock 27kDa Protein 1 Antibody




SDS-PAGE Analysis of Purified HSP27 / HSPB1 Recombinant Mouse Monoclonal Antibody (r2B4). Confirmation of Purity and Integrity of Antibody.



Western blot analysis of Human Skeletal muscle, Human Skin and HeLa lysates using HSP27 Recombinant Mouse Monoclonal Antibody (r2B4).



Western blot analysis of Skeletal muscle and Skin tissue lysates of different species using HSP27 Recombinant Mouse Monoclonal Antibody (r2B4).



Formalin-fixed, paraffin-embedded human prostate stained with HSP27 / HSPB1 Recombinant Mouse Monoclonal Antibody (r2B4). Inset: PBS instead of primary antibody; secondary only negative control.

Specificity & Comments

HSP27, also referred to as the Estrogen-Regulated 24K protein and HSP28, is one of several small heat shock proteins produced by all organisms studied. HSP27 synthesis is induced by elevated temperature, as well as by estrogen in hormone responsive cells. Interestingly, human HSP27 also shares greater than 50% homology with low molecular weight Drosophila HSPs and mammalian γ -crystalline lens protein. Because of the estrogen responsive nature of HSP27, this protein has been studied extensively in human estrogen responsive tissues such as cervix, endometrium and breast tissue. Therefore, HSP27 may be useful in classifying various hormone sensitive tumors.

Supplied As

200ug/ml of Ab produced in CHO cell mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage and Stability

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Research Areas

BBB VCAM-1 Signaling, MAPK Signaling, Ovarian Cancer, Signal Transduction

Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.