# Recombinant MIF (Macrophage Migration Inhibitory Factor) Antibody

Rabbit Monoclonal Antibody [Clone MIF/13959R]

| Catalog No | Format | Size |
|---|---|---|
| 4282-RBM16-P0 | Purified Ab with BSA and Azide at 200ug/ml | 20 ug |
| 4282-RBM16-P1 | Purified Ab with BSA and Azide at 200ug/ml | 100 ug |
| 4282-RBM16-P1ABX | Purified Ab WITHOUT BSA or Azide at 1.0mg/ml | 100 ug |

| Applications | Tested Dillution | Note |
|---|---|---|
| Immunohistochemistry (IHC) | 1-2ug/ml | 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes |
| Western Blot (WB) | 2-4ug/ml | |

## Product Details

| | |
|---|---|
| **Clone** | MIF/13959R |
| **Immunogen** | Recombinant fragment of the human MIF (Macrophage Migration Inhibitory Factor) protein (exact sequence is proprietary) |
| **Host** | Rabbit |
| **Clonality** | Monoclonal |
| **Isotype / Light Chain** | IgG / Kappa |
| **Mol. Weight of Antigen** | 12.48kDa |
| **Cellular Localization** | Cytoplasm, Secreted |
| **Species Reactivity** | Human |

**Optimal dilution for a specific application should be determined.*

## Product Images for Recombinant MIF (Macrophage Migration Inhibitory Factor) Antibody

### Specificity & Comments

Pro-inflammatory cytokine involved in the innate immune response to bacterial pathogens (PubMed:15908412, PubMed:17443469, PubMed:23776208). The expression of MIF at sites of inflammation suggests a role as mediator in regulating the function of macrophages in host defense (PubMed:15908412, PubMed:17443469, PubMed:23776208). Counteracts the anti-inflammatory activity of glucocorticoids (PubMed:15908412, PubMed:17443469, PubMed:23776208). Has phenylpyruvate tautomerase and dopachrome tautomerase activity (in vitro), but the physiological substrate is not known (PubMed:11439086, PubMed:17526494). It is not clear whether the tautomerase activity has any physiological relevance, and whether it is important for cytokine activity (PubMed:11439086, PubMed:17526494).

### Supplied As

200ug/ml of Ab produced in a mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

### Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

### Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis.There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.