# Recombinant Sodium-dependent phosphate transport protein 2B Antibody

Rabbit Monoclonal Antibody [Clone SLC34A2/13516R]

| Catalog No | Format | Size |
|---|---|---|
| 10568-RBM1-P0 | Purified Ab with BSA and Azide at 200ug/ml | 20 ug |
| 10568-RBM1-P1 | Purified Ab with BSA and Azide at 200ug/ml | 100 ug |
| 10568-RBM1-P1ABX | Purified Ab WITHOUT BSA or Azide at 1.0mg/ml | 100 ug |

| Applications | Tested Dillution | Note |
|---|---|---|
| Immunohistochemistry (IHC) | 1-2ug/ml | 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes |

## Product Details

| | |
|---|---|
| **Clone** | SLC34A2/13516R |
| **Immunogen** | Recombinant human SLC34A2 protein |
| **Host** | Rabbit |
| **Clonality** | Monoclonal |
| **Isotype / Light Chain** | IgG / Kappa |
| **Mol. Weight of Antigen** | 75.76kDa |
| **Cellular Localization** | Apical cell membrane |
| **Species Reactivity** | Human |
| **Positive Control** | Highly expressed in lung |

**Optimal dilution for a specific application should be determined.*

## Product Images for Recombinant Sodium-dependent phosphate transport protein 2B Antibody

### Specificity & Comments

Involved in actively transporting phosphate into cells via Na(+) cotransport.

### Supplied As

200ug/ml of Ab produced in a mammalian-based expression system. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

### Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

### Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis.There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.