Drebrin Antibody

Mouse Monoclonal Antibody [Clone DBN1/17134]

Catalog No	Format	Size
1627-MSM7-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
1627-MSM7-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
1627-MSM7-P1ABX	Purified Ab WITHOUT BSA or Azide at 1.0mg/ml	100 ug


Applications	Tested Dillution	Note
Immunohistochemistry (IHC)	1-2ug/ml	30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes
Western Blot (WB)	2-4ug/ml	

Product Details


Clone	DBN1/17134
Immunogen	Recombinant fragment (around aa 152-296) of human DBN1 protein
Host	Mouse
Clonality	Monoclonal
Isotype / Light Chain	IgG
Mol. Weight of Antigen	71.43kDa
Cellular Localization	Cell cortex, Cell junction, Cell projection, Cytoplasm, Dendrite, Growth cone
Species Reactivity	Human
Positive Control	Expressed in the brain, with expression in the molecular layer of the dentate gyrus, stratum pyramidale, and stratum radiatum of the hippocampus (at protein level) (PubMed:8838578)

**Optimal dilution for a specific application should be determined.*

Product Images for Drebrin Antibody



SDS-PAGE Analysis of Purified Drebrin Mouse Monoclonal Antibody (DBN1/17134). Confirmation of Purity and Integrity of Antibody.



Western blot analysis of human stomach tissue lysates using DBN1 Mouse Monoclonal Antibody (DBN1/17134).

Specificity & Comments

Actin cytoskeleton-organizing protein that plays a role in the formation of cell projections (PubMed:20215400). Required for actin polymerization at immunological synapses (IS) and for the recruitment of the chemokine receptor CXCR4 to IS (PubMed:20215400). Plays a role in dendritic spine morphogenesis and organization, including the localization of the dopamine receptor DRD1 to the dendritic spines (By similarity). Involved in memory-related synaptic plasticity in the hippocampus (By similarity).

Supplied As

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis.There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.