

Delta-sarcoglycan Antibody

Mouse Monoclonal Antibody [Clone SGCD/12574]

Catalog No	Format	Size
6444-MSM4-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
6444-MSM4-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
6444-MSM4-P1ABX	Purified Ab WITHOUT BSA or Azide at 1.0mg/ml	100 ug

Applications	Tested Dillution	Note
Immunohistochemistry (IHC)	1-2ug/ml	30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes
Western Blot (WB)	2-4ug/ml	

Product Details

Clone	SGCD/12574
Immunogen	Recombinant human SGCD protein
Host	Mouse
Clonality	Monoclonal
Isotype / Light Chain	IgG2b / Kappa
Mol. Weight of Antigen	32.07kDa
Cellular Localization	Cell membrane, Cytoplasm, Cytoskeleton, Sarcolemma
Species Reactivity	Human
Positive Control	Most strongly expressed in skeletal and cardiac muscle

*Optimal dilution for a specific application should be determined.

Product Images for Delta-sarcoglycan Antibody

Specificity & Comments

Component of the sarcoglycan complex, a subcomplex of the dystrophin-glycoprotein complex which forms a link between the F-actin cytoskeleton and the extracellular matrix.

Supplied As

200ug/ml of Ab purified from Bioreactor Concentrate by Protein G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.