

## Neuronal acetylcholine receptor subunit alpha-6 Antibody

Mouse Monoclonal Antibody [Clone CHRNA6/14620]

Catalog No	Format	Size
8973-MSM1-P0	Purified Ab with BSA and Azide at 200ug/ml	20 ug
8973-MSM1-P1	Purified Ab with BSA and Azide at 200ug/ml	100 ug
8973-MSM1-P1ABX	Purified Ab WITHOUT BSA or Azide at 1.0mg/ml	100 ug

Applications	Tested Dillution	Note
Immunohistochemistry (IHC)	1-2ug/ml	30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes

Product Details	
Clone	CHRNA6/14620
Immunogen	Recombinant fragment (around aa 34-177) of human CHRNA6 protein
Host	Mouse
Clonality	Monoclonal
Isotype / Light Chain	IgG1 / Kappa
Mol. Weight of Antigen	56.9kDa
Cellular Localization	Synaptic cell membrane
Species Reactivity	Human

*\*Optimal dilution for a specific application should be determined.*

### Product Images for Neuronal acetylcholine receptor subunit alpha-6 Antibody

#### Specificity & Comments

Component of neuronal acetylcholine receptors (nAChRs) that function as pentameric, ligand-gated cation channels with high calcium permeability among other activities. nAChRs are excitatory neurotransmitter receptors formed by a collection of nAChR subunits known to mediate synaptic transmission in the nervous system and the neuromuscular junction. Each nAChR subunit confers differential attributes to channel properties, including activation, deactivation and desensitization kinetics, pH sensitivity, cation permeability, and binding to allosteric modulators (Probable). CHRNA6 forms pentameric channels with CHRNB2, CHRNB3 and CHRNA4 that exhibit high sensitivity to ACh and nicotine and are predominantly expressed in only a few brain areas, including dopaminergic neurons, norepinephrine neurons and cells of the visual system (PubMed:16835356). nAChrs containing CHRNA6 subunits mediate endogenous cholinergic modulation of dopamine and gamma-aminobutyric acid (GABA) release in response to nicotine at nerve terminals.

#### Limitations and Warranty

This antibody is available for research use only and is not approved for use in diagnosis. There are no warranties, expressed or implied, which extend beyond this description. Company is not liable for any personal injury or economic loss resulting from this product.

#### Supplied As

200ug/ml of Ab purified from Bioreactor Concentrate by Protein G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

#### Storage and Stability

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.